



## HP-87

### SECTION 1. IDENTIFICATION

<b>Product Identifier</b>	HP-87
<b>Other Means of Identification</b>	Low pH Frictionless Presoak
<b>Recommended Use</b>	Used as presoak in touchless carwash applications.
<b>Restrictions on Use</b>	None known.
<b>Manufacturer / Supplier</b>	Transchem Pro Inc., 745 McClintock Dr, Suite 330, Burr Ridge, IL, 60527, 1 (877) 857-3870, www.turtlewaxpro.com
<b>Emergency Phone No.</b>	INFOTRAC (U.S.), 1-800-535-5053, 24 Hours CANUTEC (Canada), 613-996-6666, 24 Hours
<b>Date of Preparation</b>	May 28, 2015

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS Classification

Skin corrosion/irritation - Category 1C; Serious eye damage/eye irritation - Category 2A

#### GHS Label Elements



Signal Word:

Danger

Hazard Statement(s):

H314 Causes severe skin burns and eye damage.

Precautionary Statement(s):

P260 Do not breathe dusts or mists.

P264 Wash hands and skin thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTRE/doctor.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P363 Wash contaminated clothing before reuse.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P310 Immediately call a POISON CENTRE/doctor.

P321 Specific treatment (see supplemental first aid instruction on this label).

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/container in accordance with local, regional, national and international regulations.

#### Other Hazards

None known.

Product Identifier: HP-87

Date of Preparation: May 28, 2015

Page 01 of 06

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	%	Other Identifiers
Citric acid	77-92-9	8-14	N/A
Alcohol Ethoxylate	68439-46-3	3-7	N/A
2-Butoxyethanol	111-76-2	1-4	Ethylene Glycol Monobutyl Ether, Butyl Cellosolve
Phosphoric Acid	7664-38-2	1-3	N/A

#### Notes

The specific chemical identity and/or exact percentage of composition (concentration) has been withheld as a trade secret.

### SECTION 4. FIRST-AID MEASURES

#### First-aid Measures

##### Inhalation

Move to fresh air. Get medical advice/attention if you feel unwell or are concerned.

##### Skin Contact

Take off contaminated clothing, shoes and leather goods (e.g. watchbands, belts). Immediately rinse with lukewarm, gently flowing water for 15-20 minutes. Thoroughly clean clothing, shoes and leather goods before reuse or dispose of safely.

##### Eye Contact

Immediately rinse the contaminated eye(s) with lukewarm, gently flowing water for 15-20 minutes, while holding the eyelid(s) open. Immediately call a Poison Centre or doctor.

##### Ingestion

Never give anything by mouth if victim is rapidly losing consciousness, or is unconscious or convulsing. Do not induce vomiting. Rinse mouth with water. Drink large amounts of water. Immediately call a Poison Centre or doctor.

#### Most Important Symptoms and Effects, Acute and Delayed

If in eyes: causes moderate to severe irritation. Symptoms include sore, red eyes, and tearing. If on skin: causes moderate to severe irritation. Repeated or prolonged exposure can irritate or burn the skin.

#### Immediate Medical Attention and Special Treatment

##### Target Organs

Eyes, skin.

##### Special Instructions

Rinse affected area (skin, eyes) thoroughly with water.

##### Medical Conditions Aggravated by Exposure

None known.

### SECTION 5. FIRE-FIGHTING MEASURES

#### Extinguishing Media

##### Suitable Extinguishing Media

Not combustible. Use extinguishing agent suitable for surrounding fire.

##### Unsuitable Extinguishing Media

None known.

#### Specific Hazards Arising from the Chemical

Review Section 10 (Stability and Reactivity) for additional information.

Flammable hydrogen; very toxic carbon monoxide, carbon dioxide.

#### Special Protective Equipment and Precautions for Fire-fighters

Review Section 6 (Accidental Release Measures) for important information on responding to leaks/spills.

See Skin Protection in Section 8 (Exposure Controls/Personal Protection) for advice on suitable chemical protective materials.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

### Personal Precautions, Protective Equipment, and Emergency Procedures

Use the personal protective equipment recommended in Section 8 of this safety data sheet.

### Environmental Precautions

It is good practice to prevent releases into the environment.

### Methods and Materials for Containment and Cleaning Up

Review Section 7 (Handling) of this safety data sheet before proceeding with clean-up.

Small spills or leaks: contain and soak up spill with absorbent that does not react with spilled product. Place used absorbent into suitable, covered, labelled containers for disposal.

Large spills or leaks: dike spilled product to prevent runoff.

Contact emergency services and manufacturer/supplier for advice. Review Section 13 (Disposal Considerations) of this safety data sheet.

### Other Information

Report spills to local health, safety and environmental authorities, as required.

## SECTION 7. HANDLING AND STORAGE

### Precautions for Safe Handling

Wear personal protective equipment to avoid direct contact with this chemical. See Section 13 (Disposal Considerations) of this safety data sheet.

### Conditions for Safe Storage

Store in an area that is: clean, cool, dry. Do not store in metal containers. Store in closed container. Protect from conditions listed in Conditions to Avoid in Section 10 (Stability and Reactivity).

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control Parameters

Chemical Name	ACGIH TLV®		OSHA PEL		AIHA WEEL	
	TWA	STEL	TWA	Ceiling	8-hr TWA	TWA
Phosphoric Acid	1 mg/m <sup>3</sup>	3 mg/m <sup>3</sup>	1 mg/m <sup>3</sup>			
Citric acid	10 mg/m <sup>3</sup>					
2-Butoxyethanol		20 ppm C Skin	50 ppm Skin			

### Appropriate Engineering Controls

General ventilation is usually adequate. Provide eyewash and safety shower if contact or splash hazard exists.

### Individual Protection Measures

#### Eye/Face Protection

Wear chemical safety goggles and face shield when contact is possible.

#### Skin Protection

Wear chemical protective clothing e.g. gloves, aprons, boots.  
Suitable materials are: butyl rubber, natural rubber.

#### Respiratory Protection

Not normally required if product is used as directed.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

### Basic Physical and Chemical Properties

Appearance	Clear liquid.
Odour	Mild
Odour Threshold	Not available
pH	1.7 - 2.7
Melting Point/Freezing Point	Not available (melting); Not available (freezing)
Initial Boiling Point/Range	Not available
Flash Point	Not applicable

Product Identifier: HP-87

Date of Preparation: May 28, 2015

Page 03 of 06

<b>Evaporation Rate</b>	Not available
<b>Flammability (solid, gas)</b>	Will not burn.
<b>Upper/Lower Flammability or Explosive Limit</b>	Not applicable (upper); Not applicable (lower)
<b>Vapour Pressure</b>	Not available
<b>Vapour Density (air = 1)</b>	Not available
<b>Relative Density (water = 1)</b>	1.05
<b>Solubility</b>	Soluble in water
<b>Partition Coefficient, n-Octanol/Water (Log Kow)</b>	Not available
<b>Auto-ignition Temperature</b>	Not available
<b>Decomposition Temperature</b>	Not available
<b>Viscosity</b>	Not available (kinematic)
<b>Other Information</b>	
<b>Physical State</b>	Liquid

## SECTION 10. STABILITY AND REACTIVITY

### Reactivity

Not reactive.

### Chemical Stability

Unstable under certain conditions - see Conditions to Avoid.

### Possibility of Hazardous Reactions

None known.

### Conditions to Avoid

Contact with most metals above this temperature may release hydrogen. Temperatures above 110.0 °C (230.0 °F)

### Incompatible Materials

Oxidizers, nitrates, chlorates, metals (e.g. aluminum).

### Hazardous Decomposition Products

Thermal decomposition: very toxic carbon monoxide, carbon dioxide.

Upon contact with metals: flammable hydrogen gas.

## SECTION 11. TOXICOLOGICAL INFORMATION

### Likely Routes of Exposure

Inhalation; skin contact; eye contact; ingestion.

### Acute Toxicity

Chemical Name	LC50	LD50 (oral)	LD50 (dermal)
Phosphoric Acid		1530 mg/kg (rat)	2740 mg/kg (rabbit)
Alcohol Ethoxylate		1200 mg/kg (rat)	5000 mg/kg (rabbit)
Citric acid		3000 mg/kg (rat)	500 mg/kg (rabbit)
2-Butoxyethanol	450 ppm (female rat) (4-hour exposure)	2500 mg/kg (rat)	404-502 mg/kg (rabbit)

### Skin Corrosion/Irritation

Human experience shows moderate or severe irritation.

### Serious Eye Damage/Irritation

Human experience shows serious eye irritation. Symptoms include sore, red eyes, and tearing. Prolonged exposure may cause eye problems.

### STOT (Specific Target Organ Toxicity) - Single Exposure

#### Inhalation

May cause nose and throat irritation, lung irritation.

#### Ingestion

Product Identifier: HP-87

Date of Preparation: May 28, 2015

Page 04 of 06

Product may be harmful or fatal if swallowed.

#### Aspiration Hazard

No information was located.

#### STOT (Specific Target Organ Toxicity) - Repeated Exposure

May cause irritation of the respiratory system. May cause respiratory tract injury.

#### Respiratory and/or Skin Sensitization

No information was located.

#### Carcinogenicity

No components listed by IARC, ACGIH and NTP.

#### Reproductive Toxicity

##### Development of Offspring

No indication from ingredients.

##### Sexual Function and Fertility

No information was located.

##### Effects on or via Lactation

No information was located.

#### Germ Cell Mutagenicity

No information was located.

#### Interactive Effects

No information was located.

## SECTION 12. ECOLOGICAL INFORMATION

All components of this product are biodegradable by Regulation (EC) No 648/2004.

#### Toxicity

##### Acute Aquatic Toxicity

Chemical Name	LC50 Fish	EC50 Crustacea	ErC50 Aquatic Plants	ErC50 Algae
Alcohol Ethoxylate	11 mg/L (Pimephales promelas (fathead minnow); 96-hour; fresh water)	12 mg/L (Daphnia magna (water flea); 48-hour; fresh water)		
2-Butoxyethanol	2137 mg/L (Pimephales promelas (fathead minnow); 96-hour)			

#### Persistence and Degradability

Alcohol ethoxylate: Degrades rapidly. 80% ThOD, closed bottle, 28 days.

2-butoxyethanol: Degrades rapidly based on quantitative tests. Biodegradable as per OECD 301E tests for ready biodegradability.

## SECTION 13. DISPOSAL CONSIDERATIONS

#### Disposal Methods

Review federal, state/provincial, and local government requirements prior to disposal.

## SECTION 14. TRANSPORT INFORMATION

Regulation	UN No.	Proper Shipping Name	Transport Hazard Class(es)	Packing Group
US DOT	3264	CORROSIVE LIQUID, Acidic, Inorganic (Phosphoric acid )	Class 8	III

Product Identifier: HP-87

Date of Preparation: May 28, 2015

Page 05 of 06

Canadian TDG	3264	CORROSIVE LIQUID, Acidic, Inorganic (Phosphoric acid)	Class 8	III
--------------	------	---	---------	-----

**Special Precautions for User** Not applicable

**Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable

## SECTION 15. REGULATORY INFORMATION

### Safety, Health and Environmental Regulations

#### Canada

##### Domestic Substances List (DSL) / Non-Domestic Substances List (NDSL)

Consult Transchem Pro Inc. regarding status of ingredients.

#### USA

##### Toxic Substances Control Act (TSCA) Section 8(b)

All ingredients are commercially available and presumed to be listed by manufacturer.

##### Additional USA Regulatory Lists

SARA Title III - Section 313: 2-butoxyethanol (CAS: 111-76-2).

New Jersey Right To Know: Phosphoric acid (CAS: 7664-38-2); 2-butoxyethanol (CAS: 111-76-2).

California Proposition 65: No listed substances are known to be present.

## SECTION 16. OTHER INFORMATION

**NFPA Rating**      **Health - 2**    **Flammability - 0**    **Instability - 0**

**SDS Prepared By**      Technical Group

**Date of Preparation**      May 28, 2015

**Disclaimer**      The information contained here in has been compiled from sources believed to be reliable and is accurate to the best of our knowledge at this date. It is provided without warranty, expressed or implied, as to the results of use of this information or to the product to which it relates. Recipient assumes all responsibility for the use of this information and the use, storage, or disposal of the product, including any resultant personal injury or property damage.