



HP-470

SECTION 1. IDENTIFICATION

Product Identifier	HP-470
Other Means of Identification	High pH Wheel and Tire Cleaner - Unscented
Recommended Use	Concentrated detergent for cleaning tires and wheels.
Restrictions on Use	None known.
Manufacturer / Supplier	Transchem Pro Inc., 350 S. Northwest Highway, Park Ridge, IL, 60068, 1 (877) 857-3870, www.turtlewaxpro.com
Emergency Phone No.	INFOTRAC (U.S.), 1-800-535-5053, 24 Hours CANUTEC (Canada), 613-996-6666, 24 Hours
SDS No.	Ver. 3 (April 22, 2019)
Date of Preparation	May 22, 2015

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Skin corrosion/irritation - Category 1C; Serious eye damage/eye irritation - Category 1

GHS Label Elements



Signal Word:

Danger

Hazard Statement(s):

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

Prevention:

P260 Do not breathe dusts or mists.

P264 Wash hands and skin thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

Response:

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P363 Wash contaminated clothing before reuse.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTRE/doctor.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/container in accordance with local, regional, national and international regulations.

Other Hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	%	Other Identifiers
Surfactant Blend	Proprietary	5-10	N/A
Tetrasodium EDTA	64-02-8	1-5	Ethylenediaminetetraacetic acid
Sodium Metasilicate	6834-92-0	1-5	N/A
Sodium hydroxide	1310-73-2	1-5	Caustic soda
2-Butoxyethanol	111-76-2	1-5	Ethylene glycol monobutyl ether, Butyl Cellosolve

Notes

The specific chemical identity and/or exact percentage of composition (concentration) has been withheld as a trade secret.

SECTION 4. FIRST-AID MEASURES

First-aid Measures

Inhalation

Move to fresh air. Get medical advice/attention if you feel unwell or are concerned.

Skin Contact

Take off contaminated clothing, shoes and leather goods (e.g. watchbands, belts). Immediately rinse with lukewarm, gently flowing water for 15-20 minutes. If skin irritation occurs get medical advice/attention.

Eye Contact

Immediately rinse the contaminated eye(s) with lukewarm, gently flowing water for 15-20 minutes, while holding the eyelid(s) open. Remove contact lenses, if present and easy to do. Immediately call a Poison Centre or doctor.

Ingestion

Never give anything by mouth if victim is rapidly losing consciousness, or is unconscious or convulsing. Do not induce vomiting. Rinse mouth with water. Drink large amounts of water. Immediately call a Poison Centre or doctor.

Most Important Symptoms and Effects, Acute and Delayed

If on skin: may cause moderate to severe irritation. If in eyes: may cause moderate to severe irritation. Symptoms include pain, redness, and swelling. Inhalation of swallowed product into lungs can cause serious medical problems and may be fatal.

Immediate Medical Attention and Special Treatment

Target Organs

Eyes, skin.

Special Instructions

Rinse affected area (skin, eyes) thoroughly with water.

Medical Conditions Aggravated by Exposure

None known.

SECTION 5. FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media

Not combustible. Use extinguishing agent suitable for surrounding fire.

Unsuitable Extinguishing Media

None known.

Specific Hazards Arising from the Chemical

Review Section 10 (Stability and Reactivity) for additional information.

Special Protective Equipment and Precautions for Fire-fighters

Review Section 6 (Accidental Release Measures) for important information on responding to leaks/spills.

See Skin Protection in Section 8 (Exposure Controls/Personal Protection) for advice on suitable chemical protective

Product Identifier: HP-470
SDS No.: Ver. 3 (April 22, 2019)
Date of Preparation: May 22, 2015

materials.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment, and Emergency Procedures

Use the personal protective equipment recommended in Section 8 of this safety data sheet.

Environmental Precautions

Concentrated product: it is good practice to prevent releases into the environment.

Methods and Materials for Containment and Cleaning Up

Review Section 7 (Handling) of this safety data sheet before proceeding with clean-up.

Small spills or leaks: contain and soak up spill with absorbent that does not react with spilled product. Place used absorbent into suitable, covered, labelled containers for disposal.

Large spills or leaks: dike spilled product to prevent runoff.

Review Section 13 (Disposal Considerations) of this safety data sheet. Contact emergency services and manufacturer/supplier for advice.

Other Information

Report spills to local health, safety and environmental authorities, as required.

SECTION 7. HANDLING AND STORAGE

Precautions for Safe Handling

Wear personal protective equipment to avoid direct contact with this chemical. See Section 13 (Disposal Considerations) of this safety data sheet.

Conditions for Safe Storage

Store in an area that is: cool, dry, separate from incompatible materials (see Section 10: Stability and Reactivity). Keep out of reach of children. Store in closed container. Comply with all applicable health and safety regulations, fire and building codes.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

Chemical Name	ACGIH TLV®		OSHA PEL		AIHA WEEL	
	TWA	STEL	TWA	Ceiling	8-hr TWA	TWA
Sodium hydroxide		2 mg/m ³ C	2 mg/m ³			
2-Butoxyethanol	20 ppm C Skin		50 ppm Skin			

Appropriate Engineering Controls

General ventilation is usually adequate. Use local exhaust ventilation, if general ventilation is not adequate to control amount in the air. Provide eyewash and safety shower if contact or splash hazard exists.

Individual Protection Measures

Eye/Face Protection

Wear chemical safety goggles.

Skin Protection

Wear chemical protective clothing e.g. gloves, aprons, boots.

Respiratory Protection

Not normally required if product is used as directed.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Basic Physical and Chemical Properties

Appearance	Orange liquid.
Odour	Mild
Odour Threshold	Not available
pH	13.0 - 13.6
Melting Point/Freezing Point	Not available (melting); Not available (freezing)

Product Identifier: HP-470
SDS No.: Ver. 3 (April 22, 2019)
Date of Preparation: May 22, 2015

Initial Boiling Point/Range	212 °F (100 °C)
Flash Point	Not applicable
Evaporation Rate	Not available
Flammability (solid, gas)	Not available
Upper/Lower Flammability or Explosive Limit	Not applicable (upper); Not applicable (lower)
Vapour Pressure	Not applicable
Vapour Density (air = 1)	~ 1
Relative Density (water = 1)	1.07
Solubility	Soluble in water
Partition Coefficient, n-Octanol/Water (Log Kow)	Not available
Auto-ignition Temperature	Not available
Decomposition Temperature	Not available
Viscosity	Not available (kinematic)

SECTION 10. STABILITY AND REACTIVITY

Reactivity

Not reactive.

Chemical Stability

Normally stable.

Possibility of Hazardous Reactions

None known.

Conditions to Avoid

Incompatible materials.

Incompatible Materials

Strong oxidizing agents (e.g. perchloric acid).

Hazardous Decomposition Products

Thermal decomposition: very toxic carbon monoxide, carbon dioxide.

Upon contact with metals: flammable hydrogen gas.

SECTION 11. TOXICOLOGICAL INFORMATION

Likely Routes of Exposure

Inhalation; skin contact; eye contact; ingestion.

Acute Toxicity

Chemical Name	LC50	LD50 (oral)	LD50 (dermal)
Tetrasodium EDTA	> 1-5 mg/L (rat) (4-hour exposure)	1780 mg/kg (rat)	
Sodium Metasilicate		1153 mg/kg (rat)	
Sodium hydroxide		500 mg/kg (rabbit)	1350 mg/kg (rabbit)
2-Butoxyethanol	450 ppm (female rat) (4-hour exposure)	400-917 mg/kg (rat)	220 mg/kg (rabbit)

Skin Corrosion/Irritation

May burn the skin. Permanent scarring may result.

Serious Eye Damage/Irritation

May irritate or burn the eyes. Permanent damage including blindness may result.

STOT (Specific Target Organ Toxicity) - Single Exposure

Inhalation

Product Identifier: HP-470
 SDS No.: Ver. 3 (April 22, 2019)
 Date of Preparation: May 22, 2015

May cause nose and throat irritation, lung irritation.

Ingestion

Symptoms may include nausea, vomiting, stomach cramps and diarrhea.

Aspiration Hazard

No information was located.

STOT (Specific Target Organ Toxicity) - Repeated Exposure

No information was located.

Respiratory and/or Skin Sensitization

No information was located.

Carcinogenicity

Chemical Name	IARC	ACGIH®	NTP	OSHA
2-Butoxyethanol	Group 3	A3		

Reproductive Toxicity

Development of Offspring

No indication from ingredients.

Sexual Function and Fertility

No indication from ingredients.

Effects on or via Lactation

No indication from ingredients.

Germ Cell Mutagenicity

No information was located.

Interactive Effects

No information was located.

SECTION 12. ECOLOGICAL INFORMATION

All components of this product are biodegradable by Regulation (EC) No 648/2004.

Toxicity

Acute Aquatic Toxicity

Chemical Name	LC50 Fish	EC50 Crustacea	ErC50 Aquatic Plants	ErC50 Algae
Tetrasodium EDTA	34-62 mg/L (Lepomis macrochirus (bluegill); 96-hour; static)	113 mg/L (Daphnia magna (water flea); 48-hour; static)		
Sodium Metasilicate	210 mg/L (96-hour)	216 mg/L (96-hour)		
Sodium hydroxide	45.4 mg/L (Oncorhynchus mykiss (rainbow trout); 96-hour; static)	100 mg/L (Daphnia magna (water flea); 48-hour)		
2-Butoxyethanol	1490-2950 mg/L (Lepomis macrochirus (bluegill); 96-hour)	1550 mg/L (Daphnia magna (water flea); 48-hour)		

Chronic Aquatic Toxicity

Chemical Name	NOEC Fish	EC50 Fish	NOEC Crustacea	EC50 Crustacea
2-Butoxyethanol	> 100 mg/L (21-day; semi-static)		> 100 mg/L (Daphnia magna (water flea); 21-day; semi-static)	

Product Identifier: HP-470
SDS No.: Ver. 3 (April 22, 2019)
Date of Preparation: May 22, 2015

Persistence and Degradability

(Tetrasodium EDTA) By using samples from a river, a ditch and a lake as inocula in the closed bottle test, a biodegradation between 60 and 83% was obtained after 49 days at pH 6.5, whereas between 53 and 72% were obtained after 28 days at pH 8.0.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal Methods

Review federal, state/provincial, and local government requirements prior to disposal.

SECTION 14. TRANSPORT INFORMATION

Regulation	UN No.	Proper Shipping Name	Transport Hazard Class(es)	Packing Group
Canadian TDG	3266	CORROSIVE LIQUID, Basic, Inorganic (Sodium hydroxide, Sodium Metasilicate)	Class 8	III
US DOT	3266	CORROSIVE LIQUID, Basic, Inorganic (Sodium hydroxide, Sodium Metasilicate)	Class 8	III

Special Precautions for User Not applicable

Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations

Canada

Domestic Substances List (DSL) / Non-Domestic Substances List (NDSL)

Consult Transchem Pro Inc. regarding status of ingredients.

USA

Toxic Substances Control Act (TSCA) Section 8(b)

All ingredients are commercially available and presumed to be listed by manufacturer.

Additional USA Regulatory Lists

SARA Title III - Section 313: 2-butoxyethanol (CAS: 111-76-2).

New Jersey Right To Know: Sodium Hydroxide (CAS: 1310-73-2); 2-butoxyethanol (CAS: 111-76-2).

California Proposition 65: No listed substances are known to be present.

SECTION 16. OTHER INFORMATION

NFPA Rating Health - 2 Flammability - 0 Instability - 0

SDS Prepared By Technical Group

Date of Preparation May 22, 2015

Revision Indicators The following SDS content was changed on April 18, 2019:
SECTION 2. HAZARDS IDENTIFICATION; GHS Classification; GHS Label Elements.
SECTION 11. TOXICOLOGICAL INFORMATION; Skin Corrosion/Irritation; Serious Eye Damage/Irritation.
SECTION 14. TRANSPORT INFORMATION; Shipping Information.

Disclaimer The information contained here in has been compiled from sources believed to be reliable and is accurate to the best of our knowledge at this date. It is provided without warranty, expressed or implied, as to the results of use of this information or to the product to which it relates. Recipient assumes all responsibility for the use of this information and the use, storage, or disposal of the product, including any resultant personal injury or property damage.

Product Identifier: HP-470
SDS No.: Ver. 3 (April 22, 2019)
Date of Preparation: May 22, 2015

Page 06 of 06