



## HP-800

### SECTION 1. IDENTIFICATION

<b>Product Identifier</b>	HP-800
<b>Other Means of Identification</b>	High pH Presoak Boost - Alkaline
<b>Recommended Use</b>	Added to presoaks to increase cleaning performance.
<b>Restrictions on Use</b>	None known.
<b>Manufacturer / Supplier</b>	Transchem Pro Inc., 350 S. Northwest Highway, Park Ridge, IL, 60068, 1 (877) 857-3870, www.turtlewaxpro.com
<b>Emergency Phone No.</b>	INFOTRAC (U.S.), 1-800-535-5053, 24 Hours CANUTEC (Canada), 613-996-6666, 24 Hours
<b>SDS No.</b>	Ver. 3 (May 15, 2018)
<b>Date of Preparation</b>	May 14, 2015

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS Classification

Skin corrosion/irritation - Category 1B; Serious eye damage/eye irritation - Category 1

#### GHS Label Elements



Signal Word:

Danger

Hazard Statement(s):

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

Prevention:

P260 Do not breathe dusts or mists.

P264 Wash hands and skin thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

Response:

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P363 Wash contaminated clothing before reuse.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTRE/doctor.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/container in accordance with local, regional, national and international regulations.

#### Other Hazards

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	%	Other Identifiers
Sodium hydroxide	1310-73-2	10-30	Caustic soda
Potassium hydroxide	1310-58-3	5-10	Caustic potash
Sodium Silicate	1344-09-8	1-5	N/A
Nitrilotriacetic acid	139-13-9	1-5	NTA, Triglycerine

### Notes

The specific chemical identity and/or exact percentage of composition (concentration) has been withheld as a trade secret.

## SECTION 4. FIRST-AID MEASURES

### First-aid Measures

#### Inhalation

Move to fresh air. Get medical advice/attention if you feel unwell or are concerned.

#### Skin Contact

Take off contaminated clothing, shoes and leather goods (e.g. watchbands, belts). Immediately rinse with lukewarm, gently flowing water for 15-20 minutes. Completely decontaminate clothing, shoes, and leather goods before reuse or discard. Discard any footwear that cannot be decontaminated. If skin irritation occurs get medical advice/attention.

#### Eye Contact

Immediately rinse the contaminated eye(s) with lukewarm, gently flowing water for 15-20 minutes, while holding the eyelid(s) open. Remove contact lenses, if present and easy to do. Immediately call a Poison Centre or doctor.

#### Ingestion

Rinse mouth with water. Do not induce vomiting. If conscious, drink large amounts of water and milk, followed by citrus juice or dilute vinegar. Immediately call a Poison Centre or doctor.

### Most Important Symptoms and Effects, Acute and Delayed

If on skin: may burn the skin. Permanent scarring may result. If in eyes: may cause serious eye damage. May irritate or burn the eyes. Permanent damage including blindness may result.

### Immediate Medical Attention and Special Treatment

#### Target Organs

Eyes, skin.

#### Special Instructions

Rinse affected area (skin, eyes) thoroughly with water.

#### Medical Conditions Aggravated by Exposure

None known.

## SECTION 5. FIRE-FIGHTING MEASURES

### Extinguishing Media

#### Suitable Extinguishing Media

Not combustible. Use extinguishing agent suitable for surrounding fire.

#### Unsuitable Extinguishing Media

None known.

### Specific Hazards Arising from the Chemical

Review Section 10 (Stability and Reactivity) for additional information.

### Special Protective Equipment and Precautions for Fire-fighters

Review Section 6 (Accidental Release Measures) for important information on responding to leaks/spills.

See Skin Protection in Section 8 (Exposure Controls/Personal Protection) for advice on suitable chemical protective materials.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

### Personal Precautions, Protective Equipment, and Emergency Procedures

Use the personal protective equipment recommended in Section 8 of this safety data sheet.

### Environmental Precautions

Concentrated product: it is good practice to prevent releases into the environment. Do not allow into any sewer, on the ground or into any waterway.

### Methods and Materials for Containment and Cleaning Up

Review Section 7 (Handling) of this safety data sheet before proceeding with clean-up.

Small spills or leaks: contain and soak up spill with absorbent that does not react with spilled product. Place used absorbent into suitable, covered, labelled containers for disposal.

Large spills or leaks: dike spilled product to prevent runoff.

Review Section 13 (Disposal Considerations) of this safety data sheet. Contact emergency services and manufacturer/supplier for advice.

### Other Information

Report spills to local health, safety and environmental authorities, as required.

## SECTION 7. HANDLING AND STORAGE

### Precautions for Safe Handling

Do not get in eyes, on skin or on clothing. Wear personal protective equipment to avoid direct contact with this chemical. See Section 13 (Disposal Considerations) of this safety data sheet.

### Conditions for Safe Storage

Store in an area that is: cool, dry, separate from incompatible materials (see Section 10: Stability and Reactivity). Keep out of reach of children. Comply with all applicable health and safety regulations, fire and building codes.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control Parameters

Chemical Name	ACGIH TLV®		OSHA PEL		AIHA WEEL	
	TWA	STEL	TWA	Ceiling	8-hr TWA	TWA
Sodium hydroxide		2 mg/m <sup>3</sup> C	2 mg/m <sup>3</sup>			
Potassium hydroxide	2 mg/m <sup>3</sup>					

### Appropriate Engineering Controls

General ventilation is usually adequate. Use local exhaust ventilation, if general ventilation is not adequate to control amount in the air. Provide eyewash and safety shower if contact or splash hazard exists.

### Individual Protection Measures

#### Eye/Face Protection

Wear chemical safety goggles and face shield when contact is possible.

#### Skin Protection

Wear chemical protective clothing e.g. gloves, aprons, boots.

Suitable materials are: polyvinyl chloride, neoprene rubber, latex rubber.

#### Respiratory Protection

Not normally required if good ventilation is maintained and exposure guidelines are not exceeded.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

### Basic Physical and Chemical Properties

Appearance	Clear liquid.
Odour	Mild
Odour Threshold	Not available
pH	14.0
Melting Point/Freezing Point	Not available (melting); Not available (freezing)
Initial Boiling Point/Range	Not available

Product Identifier: HP-800  
SDS No.: Ver. 3 (May 15, 2018)  
Date of Preparation: May 14, 2015

<b>Flash Point</b>	Not applicable
<b>Evaporation Rate</b>	Not available
<b>Flammability (solid, gas)</b>	Not available
<b>Upper/Lower Flammability or Explosive Limit</b>	Not applicable (upper); Not applicable (lower)
<b>Vapour Pressure</b>	Not applicable
<b>Vapour Density (air = 1)</b>	~ 1
<b>Relative Density (water = 1)</b>	1.34
<b>Solubility</b>	Soluble in water
<b>Partition Coefficient, n-Octanol/Water (Log Kow)</b>	Not available
<b>Auto-ignition Temperature</b>	Not available
<b>Decomposition Temperature</b>	Not available
<b>Viscosity</b>	Not available (kinematic)

## SECTION 10. STABILITY AND REACTIVITY

### Reactivity

Not reactive.

### Chemical Stability

Normally stable.

### Possibility of Hazardous Reactions

None known.

### Conditions to Avoid

Incompatible materials.

### Incompatible Materials

Strong oxidizing agents (e.g. perchloric acid).

### Hazardous Decomposition Products

None known.

## SECTION 11. TOXICOLOGICAL INFORMATION

### Likely Routes of Exposure

Skin contact; eye contact.

### Acute Toxicity

Chemical Name	LC50	LD50 (oral)	LD50 (dermal)
Sodium Silicate		1153 mg/kg (rat)	
Sodium hydroxide		500 mg/kg (rabbit)	1350 mg/kg (rabbit)
Potassium hydroxide		365 mg/kg (rat)	> 1260 mg/kg (rabbit)
Nitritotriacetic acid	> 5 mg/L (rat) (4-hour exposure)	920 mg/kg (rat)	> 5000 mg/kg (rabbit)

### Skin Corrosion/Irritation

May burn the skin. Permanent scarring may result. Effects may be delayed.

### Serious Eye Damage/Irritation

May irritate or burn the eyes. Permanent damage including blindness may result.

### STOT (Specific Target Organ Toxicity) - Single Exposure

#### Inhalation

May cause nose and throat irritation, lung irritation, coughing, headaches.

#### Ingestion

May cause severe irritation or burns to the mouth, throat and stomach.

### Aspiration Hazard

No information was located.

### STOT (Specific Target Organ Toxicity) - Repeated Exposure

No indication from ingredients.

### Respiratory and/or Skin Sensitization

Excessive skin exposure to vapors at > 25 ppm may cause dizziness, nausea, and blood harm.

### Carcinogenicity

Chemical Name	IARC	ACGIH®	NTP	OSHA
Nitrilotriacetic acid	Group 2B	Not Listed	Reasonably anticipated	

In laboratory tests, rats and mice continuously fed massive doses of NTA showed evidence of urinary tract (bladder and kidney) toxicity, including cancer; lower doses showed none of these toxic effects.

### Reproductive Toxicity

#### Development of Offspring

No indication from ingredients.

#### Sexual Function and Fertility

No indication from ingredients.

#### Effects on or via Lactation

No indication from ingredients.

### Germ Cell Mutagenicity

No information was located.

### Interactive Effects

No information was located.

## SECTION 12. ECOLOGICAL INFORMATION

All components of this product are biodegradable by Regulation (EC) No 648/2004.

### Toxicity

#### Acute Aquatic Toxicity

Chemical Name	LC50 Fish	EC50 Crustacea	ErC50 Aquatic Plants	ErC50 Algae
Sodium Silicate	210 mg/L (96-hour)	216 mg/L (96-hour)		
Sodium hydroxide	45.4 mg/L (Oncorhynchus mykiss (rainbow trout); 96-hour; static)	100 mg/L (Daphnia magna (water flea); 48-hour)		
Potassium hydroxide	80 mg/L (96-hour)	56 mg/L (48-hour)		
Nitrilotriacetic acid	175-225 mg/L (Lepomis macrochirus (bluegill); 96-hour; static)	> 100 mg/L (Daphnia magna (water flea); 48-hour)		

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal Methods

Review federal, state/provincial, and local government requirements prior to disposal.

## SECTION 14. TRANSPORT INFORMATION

Regulation	UN No.	Proper Shipping Name	Transport Hazard Class(es)	Packing Group
Canadian TDG	3266	CORROSIVE LIQUID, Basic, Inorganic (Sodium hydroxide, Potassium hydroxide)	Class 8	III
US DOT	3266	CORROSIVE LIQUID, Basic, Inorganic (Sodium hydroxide, Potassium hydroxide)	Class 8	III

**Special Precautions for User** Not applicable

**Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable

## SECTION 15. REGULATORY INFORMATION

**Safety, Health and Environmental Regulations**

**Canada**

**Domestic Substances List (DSL) / Non-Domestic Substances List (NDSL)**

Consult Transchem Pro Inc. regarding status of ingredients.

**USA**

**Toxic Substances Control Act (TSCA) Section 8(b)**

All ingredients are commercially available and presumed to be listed by manufacturer.

**Additional USA Regulatory Lists**

SARA Title III - Section 313: Nitrotriacetic acid (CAS: 139-13-9).

New Jersey Right To Know: Sodium Hydroxide (CAS: 1310-73-2); Potassium hydroxide (CAS: 1310-58-3);

Nitrotriacetic acid (CAS: 139-13-9).

California Proposition 65: Nitrotriacetic acid (CAS: 139-13-9).

## SECTION 16. OTHER INFORMATION

**NFPA Rating** Health - 2 Flammability - 0 Instability - 0

**SDS Prepared By** Technical Group

**Date of Preparation** May 14, 2015

**Revision Indicators** The following SDS content was changed on May 15, 2018:  
SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS; Ingredient Information.

**Disclaimer** The information contained here in has been compiled from sources believed to be reliable and is accurate to the best of our knowledge at this date. It is provided without warranty, expressed or implied, as to the results of use of this information or to the product to which it relates. Recipient assumes all responsibility for the use of this information and the use, storage, or disposal of the product, including any resultant personal injury or property damage.

Product Identifier: HP-800  
SDS No.: Ver. 3 (May 15, 2018)  
Date of Preparation: May 14, 2015

Page 06 of 06