



HP-85

SECTION 1. IDENTIFICATION

Product Identifier	HP-85
Other Means of Identification	High pH Touchless Presoak - Heavy Duty
Recommended Use	Used as presoak in touchless carwash applications.
Restrictions on Use	None known.
Manufacturer / Supplier	Transchem Pro Inc., 350 S. Northwest Highway, Park Ridge, IL, 60068, 1 (877) 857-3870, www.turtlewaxpro.com
Emergency Phone No.	INFOTRAC (U.S.), 1-800-535-5053, 24 Hours CANUTEC (Canada), 613-996-6666, 24 Hours
SDS No.	Ver. 3 (May 14, 2018)
Date of Preparation	May 22, 2015

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Skin corrosion/irritation - Category 1C; Serious eye damage/eye irritation - Category 1

GHS Label Elements



Signal Word:

Danger

Hazard Statement(s):

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

Prevention:

P260 Do not breathe dusts or mists.

P264 Wash hands and skin thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

Response:

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P363 Wash contaminated clothing before reuse.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTRE/doctor.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/container in accordance with local, regional, national and international regulations.

Other Hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	%	Other Identifiers
Tetrasodium EDTA	64-02-8	7-13	Ethylenediaminetetraacetic acid
Sodium Metasilicate	6834-92-0	3-7	N/A
Potassium hydroxide	1310-58-3	1-5	Caustic Potash
Alcohol Ethoxylate	68439-46-3	1-5	N/A
2-Butoxyethanol	111-76-2	1-5	Butyl Cellosolve, Ethylene glycol monobutyl ether

Notes

The specific chemical identity and/or exact percentage of composition (concentration) has been withheld as a trade secret.

SECTION 4. FIRST-AID MEASURES

First-aid Measures

Inhalation

Move to fresh air. Get medical advice/attention if you feel unwell or are concerned.

Skin Contact

Immediately rinse with lukewarm, gently flowing water for 15-20 minutes. Take off contaminated clothing, shoes and leather goods (e.g. watchbands, belts). Completely decontaminate clothing, shoes, and leather goods before reuse or discard. If skin irritation occurs get medical advice/attention.

Eye Contact

Immediately rinse the contaminated eye(s) with lukewarm, gently flowing water for 15-20 minutes, while holding the eyelid(s) open. Immediately call a Poison Centre or doctor.

Ingestion

Do not induce vomiting. Rinse mouth with water. Drink large amounts of water. Immediately call a Poison Centre or doctor.

Most Important Symptoms and Effects, Acute and Delayed

If on skin: may cause moderate to severe irritation. Repeated or prolonged exposure can irritate the skin. Symptoms include pain, redness, and swelling. If in eyes: may cause moderate to severe irritation. Symptoms include pain, redness, and swelling.

Immediate Medical Attention and Special Treatment

Target Organs

Eyes, skin.

Special Instructions

Rinse affected area (skin, eyes) thoroughly with water.

Medical Conditions Aggravated by Exposure

None known.

SECTION 5. FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media

Not combustible. Use extinguishing agent suitable for surrounding fire.

Unsuitable Extinguishing Media

None known.

Specific Hazards Arising from the Chemical

Does not burn.

Special Protective Equipment and Precautions for Fire-fighters

Review Section 6 (Accidental Release Measures) for important information on responding to leaks/spills.

Product Identifier: HP-85
SDS No.: Ver. 3 (May 14, 2018)
Date of Preparation: May 22, 2015

See Skin Protection in Section 8 (Exposure Controls/Personal Protection) for advice on suitable chemical protective materials.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment, and Emergency Procedures

Use the personal protective equipment recommended in Section 8 of this safety data sheet.

Environmental Precautions

Concentrated product: it is good practice to prevent releases into the environment.

Methods and Materials for Containment and Cleaning Up

Review Section 7 (Handling) of this safety data sheet before proceeding with clean-up.

Small spills or leaks: contain and soak up spill with absorbent that does not react with spilled product. Place used absorbent into suitable, covered, labelled containers for disposal.

Large spills or leaks: dike spilled product to prevent runoff.

Review Section 13 (Disposal Considerations) of this safety data sheet. Contact emergency services and manufacturer/supplier for advice.

Other Information

Report spills to local health, safety and environmental authorities, as required.

SECTION 7. HANDLING AND STORAGE

Precautions for Safe Handling

Wear personal protective equipment to avoid direct contact with this chemical. See Section 13 (Disposal Considerations) of this safety data sheet.

Conditions for Safe Storage

Store in an area that is: clean, dry, separate from incompatible materials (see Section 10: Stability and Reactivity). Store in closed container. Keep out of reach of children.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

Chemical Name	ACGIH TLV®		OSHA PEL		AIHA WEEL	
	TWA	STEL	TWA	Ceiling	8-hr TWA	TWA
Potassium hydroxide	2 mg/m ³					
2-Butoxyethanol	20 ppm C Skin		50 ppm Skin			

Appropriate Engineering Controls

General ventilation is usually adequate. Use local exhaust ventilation, if general ventilation is not adequate to control amount in the air. Provide eyewash and safety shower if contact or splash hazard exists.

Individual Protection Measures

Eye/Face Protection

Wear chemical safety goggles and face shield when contact is possible.

Skin Protection

Wear chemical protective clothing e.g. gloves, aprons, boots.

Suitable materials are: polyvinyl chloride, latex rubber, neoprene rubber.

Respiratory Protection

Not normally required if good ventilation is maintained and exposure guidelines are not exceeded.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Basic Physical and Chemical Properties

Appearance	Green liquid.
Odour	Unscented
Odour Threshold	Not available
pH	13.0 - 13.6

Product Identifier: HP-85
SDS No.: Ver. 3 (May 14, 2018)
Date of Preparation: May 22, 2015

Melting Point/Freezing Point	Not available (melting); Not available (freezing)
Initial Boiling Point/Range	212 °F (100 °C)
Flash Point	Not applicable
Evaporation Rate	Not available
Flammability (solid, gas)	Not available
Upper/Lower Flammability or Explosive Limit	Not applicable (upper); Not applicable (lower)
Vapour Pressure	Not available
Vapour Density (air = 1)	~ 1
Relative Density (water = 1)	1.13
Solubility	Soluble in water
Partition Coefficient, n-Octanol/Water (Log Kow)	Not available
Auto-ignition Temperature	Not available
Decomposition Temperature	Not available
Viscosity	Not available (kinematic)
Other Information	
Physical State	Liquid

SECTION 10. STABILITY AND REACTIVITY

Reactivity

Not reactive.

Chemical Stability

Normally stable.

Possibility of Hazardous Reactions

None known.

Conditions to Avoid

Incompatible materials.

Incompatible Materials

Strong oxidizing agents (e.g. perchloric acid).

Hazardous Decomposition Products

None known.

SECTION 11. TOXICOLOGICAL INFORMATION

Likely Routes of Exposure

Inhalation; skin contact; eye contact; ingestion.

Acute Toxicity

Chemical Name	LC50	LD50 (oral)	LD50 (dermal)
Tetrasodium EDTA	> 1-5 mg/L (rat) (4-hour exposure)	1780 mg/kg (rat)	
Sodium Metasilicate		1153 mg/kg (rat)	
Potassium hydroxide		365 mg/kg (rat)	> 1260 mg/kg (rabbit)
Alcohol Ethoxylate		1378 mg/kg (rat)	> 2000 mg/kg (rabbit)
2-Butoxyethanol	450 ppm (female rat) (4-hour exposure)	400-917 mg/kg (rat)	220 mg/kg (rabbit)

Skin Corrosion/Irritation

Human experience shows moderate or severe irritation.

Serious Eye Damage/Irritation

Product Identifier: HP-85
 SDS No.: Ver. 3 (May 14, 2018)
 Date of Preparation: May 22, 2015

Prolonged exposure may cause eye problems. Contact can cause severe irritation, reddening, and swelling of tissues around the eyes.

STOT (Specific Target Organ Toxicity) - Single Exposure

Inhalation

Nose and throat irritation, lung irritation, coughing, headaches.

Ingestion

Symptoms may include nausea, vomiting, stomach cramps and diarrhea.

Aspiration Hazard

No information was located.

STOT (Specific Target Organ Toxicity) - Repeated Exposure

Symptoms may include dry, red, cracked skin (dermatitis).

Respiratory and/or Skin Sensitization

Not known to be a respiratory sensitizer. Not known to be a skin sensitizer.

Carcinogenicity

Chemical Name	IARC	ACGIH®	NTP	OSHA
2-Butoxyethanol	Group 3	A3		

Reproductive Toxicity

Development of Offspring

No indication from ingredients.

Sexual Function and Fertility

No indication from ingredients.

Effects on or via Lactation

No indication from ingredients.

Germ Cell Mutagenicity

No information was located.

Interactive Effects

No information was located.

SECTION 12. ECOLOGICAL INFORMATION

All components of this product are biodegradable by Regulation (EC) No 648/2004.

Toxicity

Acute Aquatic Toxicity

Chemical Name	LC50 Fish	EC50 Crustacea	ErC50 Aquatic Plants	ErC50 Algae
Tetrasodium EDTA	34-62 mg/L (Lepomis macrochirus (bluegill); 96-hour; static)	113 mg/L (Daphnia magna (water flea); 48-hour; static)		
Sodium Metasilicate	210 mg/L (96-hour)	216 mg/L (96-hour)		
Potassium hydroxide	80 mg/L (96-hour)	56 mg/L (48-hour)		
Alcohol Ethoxylate	11 mg/L (Pimephales promelas (fathead minnow); 96-hour; fresh water)	5.3 mg/L (Daphnia magna (water flea); 48-hour)		
2-Butoxyethanol	1490-2950 mg/L (Lepomis macrochirus (bluegill); 96-hour)	1550 mg/L (Daphnia magna (water flea); 48-hour)		

Chronic Aquatic Toxicity

Product Identifier: HP-85
 SDS No.: Ver. 3 (May 14, 2018)
 Date of Preparation: May 22, 2015

Chemical Name	NOEC Fish	EC50 Fish	NOEC Crustacea	EC50 Crustacea
Alcohol Ethoxylate	1.5 mg/L			
2-Butoxyethanol	> 100 mg/L (21-day; semi-static)		> 100 mg/L (Daphnia magna (water flea); 21-day; semi-static)	

Persistence and Degradability

Versene 100 (EDTA): By using samples from a river, a ditch and a lake as inocula in the closed bottle test, a biodegradation between 60 and 83% was obtained after 49 days at pH 6.5, whereas between 53 and 72% were obtained after 28 days at pH 8.0.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal Methods

Review federal, state/provincial, and local government requirements prior to disposal.

SECTION 14. TRANSPORT INFORMATION

Regulation	UN No.	Proper Shipping Name	Transport Hazard Class(es)	Packing Group
Canadian TDG	3266	CORROSIVE LIQUID, Basic, Inorganic (Sodium Metasilicate, Potassium hydroxide)	Class 8	III
US DOT	3266	CORROSIVE LIQUID, Basic, Inorganic (Sodium Metasilicate, Potassium hydroxide)	Class 8	III

Special Precautions for User Not applicable

Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations

Canada

Domestic Substances List (DSL) / Non-Domestic Substances List (NDSL)

Consult Transchem Pro Inc. regarding status of ingredients.

USA

Toxic Substances Control Act (TSCA) Section 8(b)

All ingredients are commercially available and presumed to be listed by manufacturer.

Additional USA Regulatory Lists

California Proposition 65: No listed substances are known to be present.

SARA Title III - Section 302: 2-butoxyethanol (CAS: 111-76-2).

New Jersey Right To Know: Potassium hydroxide (CAS: 1310-58-3); 2-butoxyethanol (CAS: 111-76-2).

SECTION 16. OTHER INFORMATION

NFPA Rating **Health - 2** **Flammability - 0** **Instability - 0**

SDS Prepared By Technical Group

Date of Preparation May 22, 2015

Revision Indicators The following SDS content was changed on May 14, 2018:
SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS; Ingredient Information.

Disclaimer The information contained here in has been compiled from sources believed to be reliable and is accurate to the best of our knowledge at this date. It is provided without warranty, expressed or implied, as to the results of use of this information or to the product to which it relates. Recipient assumes all responsibility for the use of this information and the use, storage, or disposal of the product, including any resultant personal injury or property damage.

Product Identifier: HP-85
SDS No.: Ver. 3 (May 14, 2018)
Date of Preparation: May 22, 2015

Product Identifier: HP-85
SDS No.: Ver. 3 (May 14, 2018)
Date of Preparation: May 22, 2015

Page 07 of 07